

MON-27-4K

27 Inch Client Viewing Monitor with 4K Resolution

The 27" 4K LED-backlit LCD Monitor features IPS Black Technology for vibrant colors and precise details. Enjoy smooth and fast transitions with a 5ms gray-to-gray fast response time and a wide array of connectivity options, including HDMI, DisplayPort, and USB-C with Power Delivery (up to 90W). With an ergonomic design allowing height, swivel, and tilt adjustments, this monitor offers both comfort and performance for your work and entertainment needs.



KEY FEATURES

- ▶ LED-backlit LCD Monitor / TFT Active Matrix
- ▶ 16:9
- ▶ 4K 3840 x 2160 at 60 Hz
- ▶ LED Backlight
- ▶ 5Year 24/7 ProSupport and Advanced Exchange Warranty

FOR MORE INFORMATION: bcdvideo.com | sales@bcdinc.com | +1.888.305.4993

TECH SUPPORT: support@bcdinc.com

Copyright © 2026, BCD. All rights reserved. This document is provided for information purposes only. Intel, the Intel logo, the Intel Inside logo and Xeon are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

MON-27-4K

27 Inch Client Viewing Monitor with 4K Resolution

GENERAL

Aspect Ratio

16:9

Backlight Technology

LED Backlight

Brightness

2400 cd/m

Built-in Devices

USB 3.2 Gen 2 USB-C Hub

Color Gamut

100% Rec 709, 100% sRGB, 98% DCI-P3

Diagonal Size

27"

Display Type

LED-backlit LCD Monitor / TFT Active Matrix

Native Resolution

4K 3840 x 2160 at 60 Hz

Panel Type

IPS Black Technology

Response Time

Response Time

USB Power Delivery

90 Watt

KVM

Keyboard/Mouse Interface

USB

AUDIO

Speakers

Stereo

CONNECTIVITY

Connectivity Interfaces

- (1)HDMI (HDCP 2.2)
- (1)DisplayPort 1.4
- (1)DisplayPort output
- (1)USB-C upstream/DisplayPort 1.4 Alt Mode with Power Delivery (power up to 90W, HDCP 2.2)
- (1)USB-C 3.2 Gen 2 upstream
- (1)USB-C 3.2 Gen 2 downstream (power up to 15W)
- (4) USB 3.2 Gen 2 downstream
- (1)USB 3.2 Gen 2 downstream with Battery Charging 1.2
- (1)Audio line-out (mini-jack)
- (1)LAN (RJ-45)

ENVIRONMENTAL

Environmental Standards

EPEAT Compliant: EPEAT Gold
ENERGY STAR Certified: Yes

Humidity Range Operating

10 - 80% (non-condensing)

Operating Temperature

32 °F - 104°F (0°C - 40°C)

SUPPORT

Warranty

5Year 24/7 ProSupport and Advanced Exchange
Warranty
its subsidiaries in the U.S. and/or other countries.

MON-27-4K

27 Inch Client Viewing Monitor with 4K Resolution

MECHANICAL

Cables Included

- (1) Power cable
- (1) DisplayPort 1.8 M cable (DisplayPort to DisplayPort)
- (1) USB-C Gen21.0 M cable (A to C)
- (1) Type-C 1.0 M cable (C-C cable)
- (1) HDMI 2.01.8 M Cable (HDMI to HDMI)

Dimensions (W x D x H) and Weight

With stand (lowest position): width: 24 .1 in
- depth: 7.3 in - height: 15.2 in - weight:
14.6 lbs

Without stand: width: 24 .1 in - depth: 2.1 in
- height: 13.9 in - weight 9.9 lbs Shipping
Weight: 21.01 lbs

Mechanical Display Position

Adjustments

Height, swivel, tilt - Tilt Angle: -5/+21 Swivel
Angle: 60° Height Adjustment: 5.9 in VESA
Mounting Interface: 100 x 100 mm

Power

Input Voltage: AC 100-240 V (50/60 Hz)
Power Consumption (On mode): 25.9 W
Power Consumption (Max): 220 W
Power Consumption Stand by: 0.3 W
Power Consumption (Off Mode): 0.2W
On / Off Switch: Yes