MON-32-4K

32 Inch Client Viewing Monitor with 4K Resolution

The 31.5″ 4K LED-backlit LCD Monitor features IPS Black Technology for stunning colors and precise details. This monitor boasts a 16:9 aspect ratio, delivering a native resolution of 3840 x 2160 at 60 Hz for exceptional image clarity. With a wide color gamut of 100% Rec 709, 100% sRGB, and 98% DCI-P3, immerse yourself in lifelike colors for both work and entertainment. Enjoy seamless connectivity with multiple interfaces, including HDMI, DisplayPort, and USB-C with Power Delivery (up to 90W), while the adjustable height, swivel, and tilt options provide optimal viewing comfort. The monitor also comes with a 5-year 24/7 ProSupport and Advanced Exchange Warranty, ensuring your peace of mind.





KEY FEATURES

- LED-backlit LCD Monitor / TFT Active Matrix
- 16:9
- 4K 3840 x 2160 at 60 Hz
- LED Backlight
- 5Year 24/7 ProSupport and Advanced Exchange Warranty

FOR MORE INFORMATION: bcdvideo.com | sales@bcdinc.com | +1.888.305.4993

TECH SUPPORT: support@bcdinc.com

Copyright © 2026, BCD. All rights reserved. This document is provided for information purposes only. Intel, the Intel logo, the Intel Inside logo and Xeon are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

MON-32-4K

32 Inch Client Viewing Monitor with 4K Resolution

GENERAL

Aspect Ratio
16:9

Backlight Technology
LED Backlight

Brightness
2400 cd/m

Built-in Devices
USB 3.2 Gen 2 USB-C Hub

Color Gamut
100 % Rec 709, 100% sRGB, 98% DCI-P3

Diagonal Size
31.5 "

Display Type
LED-backlit LCD Monitor / TFT Active Matrix

Native Resolution
4K 3840 x 2160 at 60 Hz

Panel Type
IPS Black Technology

Response Time
Response Time

USB Power Delivery
90 Watt

KVM

Keyboard/Mouse Interface
USB

AUDIO

Speakers
Stereo

CONNECTIVITY

Connectivity Interfaces
(1) HDMI (HDCP 2.2)

(1) DisplayPort 1.4

(1) DisplayPort output

(1) USB-C upstream/DisplayPort 1.4 Alt Mode with Power Delivery (power up to 90W, HDCP 2.2)

(1) USB-C 3.2 Gen 2 upstream

(1) USB-C 3.2 Gen 2 downstream (power up to 15W)

(4) USB 3.2 Gen 2 downstream

(1) USB 3.2 Gen 2 downstream with Battery Charging 1.2 - Audio line-out (mini-jack)

(1) LAN (RJ-45)

ENVIRONMENTAL

Environmental Standards
EPEAT Compliant: EPEAT Gold

ENERGY STAR Certified: Yes

Humidity Range Operating
10 - 80% (non-condensing)

Operating Temperature
32 °F - 104°F (0°C - 40°C)

SUPPORT

Warranty
5Year 24/7 ProSupport and Advanced Exchange Warranty

its subsidiaries in the U.S. and/or other countries.

FOR MORE INFORMATION: bcdvideo.com | sales@bcdinc.com | +1.888.305.4993

TECH SUPPORT: support@bcdinc.com

Copyright © 2026, BCD. All rights reserved. This document is provided for information purposes only. Intel, the Intel logo, the Intel Inside logo and Xeon are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

MON-32-4K

32 Inch Client Viewing Monitor with 4K Resolution

MECHANICAL

Cables Included

(1) Power Cable

(1) DisplayPort 1.80 m cable (DisplayPort to DisplayPort)

(1) USB-A to USB-C Gen 2 Cable 1.0m (A to C)

(1) Type-C 1.0M cable (C-C cable)

(1) HDMI 2.01.80m Cable

Dimensions (W x D x H) and Weight

With stand (lowest position): width: 28.1 in - depth: 9.2 in - height: 18.5 in - weight: 22.8 lbs

Without stand: width: 28.1 in - depth: 2.2 in - height: 16.1 in Shipping Weight: 31.94 lbs

Mechanical Display Position Adjustments

Height, swivel, tilt - Tilt Angle: -5/+ 21

Swivel Angle: 60° Height Adjustment: 5.9 in

VESA Mounting Interface: 100 x 100 mm

Power

Input Voltage: AC 100-240 V (50/60 Hz)

Power Consumption (On mode): 29.4 W

Power Consumption SDR (On mode): 29.4 kWh/1000h

Power Consumption HDR (On mode): 26.1 kWh/1000h

Power Consumption (Max): 220 W

Power Consumption Stand by: 0.3 W

Power Consumption (Off Mode): 0.2 W

On / Off Switch: Yes

FOR MORE INFORMATION: bcdvideo.com | sales@bcdinc.com | +1.888.305.4993

TECH SUPPORT: support@bcdinc.com

Copyright © 2026, BCD. All rights reserved. This document is provided for information purposes only. Intel, the Intel logo, the Intel Inside logo and Xeon are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.